



## Product Data Sheet

**Product Type**

**Protective Cover**

---

**Product Model**

**CNAC-C**

---

**Customer Name**

---

Manufacturer	Prepared	Checked	Approved

Customer	Received	Checked	Confirmed

**Distributor:**



Phone: 407-857-8770


Fax: 407-857-8771

Email: [sales@techni-lux.com](mailto:sales@techni-lux.com)

[www.techni-lux.com](http://www.techni-lux.com)



## Product Data Sheet


Product Type	Protective Cover	
Product Model	CNAC-C	
Product Features		
<p>➤ Silicone rubber protective cover when combined with C*F2C-W socket the protection rating can reach IP65 (* - 3 、 4 or 5 core)</p>		

## Product Data Sheet

### Material and Environmental Parameters

Item	Specification
Protective cover	VMQ
Protection class	IP65
Temperature range	-30°C ~ +80°C

### Product Drawing



Unit: mm

## Product Data Sheet

### Packaging Method

50 pcs per PE bag, 200 pcs per inner carton, 5 inner cartons per master carton (1000 pcs per master carton)

### Accessory

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> No accessories | <input type="checkbox"/> Back fastener plate |
| <input type="checkbox"/> Screws and Nuts           | <input type="checkbox"/> Other               |

### Assembly Instructions

Put the protective cover on the rear side of the socket and then install on the front of the panel. Finally, tighten the screws with 0.5 Nm torque in clockwise direction.

