



ACL par 1

Product Code: SG ACLPAR1

Led projector 1X15W RGBW/FC



Description

ACL PAR 1 offers the versatility of a common high power LED projector with a black aluminium body and handy and modern design. With its 15W RGBW/FC LED, a 4-degree aperture angle it provides power and effects which were unattainable up to now. The 2 filters included make it possible to achieve a 25° aperture angle and make the beam even more homogeneous. The frame has been designed to provide the utmost "use dynamics". The adjustable bracket assures stability of use, to light surfaces such as columns, tables, works of art or to be used as backlight. The bracket also makes it possible to clamp it onto fixed structures such as trusses or posts.

Technical Specifications

Light Source

- 1x15W led RGBW Full Color
- LED lifespan: > 50.000h
- LED refresh frequency: > 400Hz flicker-free

Optic system

- Beam Angle: 4°

Color system

- LED source RGBW Full color
- Infinite chromatic possibilities

Effects

- Linear dimmer 0-100%
- Adjustable strobe effect
- Color macros selectable via DMX
- Two removable frost filters included

Control and programming

- 3 DMX configurations available: 4/6/7 channels
- Protocol USITT DMX 512
- Master/Slave mode
- Auto mode
- Sound mode

- Remote controller included

Structure and cabinet

- Die cast aluminium housing, black color
- Blue LCD graphic display
- "Light up" positioning with adjustable angle - double bracket
- IP rating: IP20
- DMX IN/OUT connectors 3 poles
- Convection cooling system without fans

Power supply

- Input Voltage: AC~100-240V, 50/60 Hz
- Switching power supply unit

- Power consumption: 16W
- Power input with PowerCON connector IN/OUT
- Power supply cable 1mt included

Weight and Dimensions:

- Net weight: 1.2 kg/2.65 lb
- Dimensions: 5.3x6.8x7.97 in 134.5x172.25x202.5 mm

Distributor:



Phone: 407-857-8770
Fax: 407-857-8771
Email: sales@techni-lux.com
www.techni-lux.com

Technical specifications and appearances are subject to change without notice and accuracy is not guaranteed. All trademarks are the property of their respective owners. PROEL accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary from actual product. PROEL products are sold through authorized fullfillers and resellers only. This manual is copyrighter. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of PROEL - Via alla Ruenia 37/43 - CAP 64027 - Sant'Omero (TE) ITALY.

Sagitter is a brand of Proel Spa | Via alla Ruenia
37/43 64027 Sant'Omero (TE) ITALY
Tel. +39 0861 81241 | Fax. +39 0861 887862 |
www.sagitter.com

