



---

# SOLPar 60 zoom

*Product Code: SG SOLPARC60Z*

Zoom projector 1X60W RGBW/FC IP65



### **Light source**

- 1x60W RGBW COB led
- LED lifespan: >50.000h
- LED refresh frequency: >400Hz flicker-free

### **Optic system**

- Beam angle: motorized zoom from 15° to 40°

### **Color system**

- RGBW full color mixing
- Infinite chromatic possibilities

### **Effects**

- Linear dimmer 0-100%
- Adjustable strobe
- Color Macros selectable from DMX

### **Control and programming**

- 4 DMX configuration available: 3/5/7/9 channels
- Key password for display settings lock
- Protocol USITT DMX 512
- Master/Slave mode
- Macro mode with 63 built-in programs selectable from the display
- Play/Edit User Mode with the possibility to run and edit 20 timed programs
- 5 dimmer curves

### **Structure and cabinet**

- Die cast aluminum housing
- Blue LCD graphic display
- Soft touch buttons
- Tempered front glass
- "light up" positioning without brackets
- IP65 protection grade
- IP65 3/5 poles XLR in-out dmx signal connections
- Convection cooling system without fans
- Optional barndoor (code:SG SOLPARC 150BN)

### **Power supply**

- Input Voltage: AC~ 100-240V, 50/60 Hz
- Switching power supply unit
- Max power: 78W @ 230VAC
- IP65 Powercon True ONE in/out power connections
- Power supply cable included

### **Weight and dimensions**

- Net weight: 5.5 kg/12.13 lb
- Dimensions: 11.0236x11.811x11.0236in 280x300x280 mm

**Distributor:**



Phone: 407-857-8770

Fax: 407-857-8771

Email: [sales@techni-lux.com](mailto:sales@techni-lux.com)

[www.techni-lux.com](http://www.techni-lux.com)

Technical specifications and appearances are subject to change without notice and accuracy is not guaranteed. All trademarks are the property of their respective owners. PROEL accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary from actual product. PROEL products are sold through authorized fullfillers and resellers only. This manual is copyrighter. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of PROEL - Via alla Ruenia 37/43 - CAP 64027 - Sant'Omero (TE) ITALY.

Sagitter is a brand of Proel Spa | Via alla Ruenia  
37/43 64027 Sant'Omero (TE) ITALY  
Tel. +39 0861 81241 | Fax. +39 0861 887862 |  
[www.sagitter.com](http://www.sagitter.com)

