7. REGULATORY INFORMATION (con't)

CERCLA: If this product is accidentally spilled, it is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation and Liability Act. We recommend that you contact local authorities to determine if there may be other local reporting requirements.

SARA TITLE III: This product is not a hazardous chemical under 29 CFR 1910.1200 and is not covered under Title III of SARA. This product does not contain Section 313 Reportable ingredients.

8. PHYSICAL AND CHEMICAL PROPERTIES

SPECIFIC GRAVITY: 1.00 @ 60 degrees F (typical value)

VAPOR PRESSURE: 17 mm Hg @ 68 degrees F

SOLUBILITY IN WATER: Fully soluble.

MELTING POINT/RANGE: 0 degrees C (water) EVAPORATION RATE (n-Bu Acetate =1): < 1 (water) BOILING POINT/RANGE: 100 degrees C (water)

VISCOSITY: 100-400 cps.


We believe the statement, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

Material Safety Data Sheet

Techni-Lux, Inc. ORLANDO, FL 32824-7046 Phone: 407-857-8770 www.techni-lux.com

Revision Date: 02/22/99 Printed: 5/03/01

PRODUCT CODE: SE-BUBBLEL1



1. IDENTIFICATION AND EMERGENCY INFORMATION

Emergency Telephone Number: CHEM TREC 1 (800) 424-9300 (24 hours)

2. HAZARDOUS INGREDIENT INFORMATION

The composition of this mixture is proprietary information. In the event of a medical emergency, contact a poison control center. This product is not hazardous as defined in 29 CFR 1910.1200.

3. HEALTH INFORMATION AND PROTECTION

Nature of hazard and first aid:

EYE CONTACT: Slightly irritating but does not injure eye tissue. Flush eyes with large amounts of water until irritation subsides. If irritation persists, get medical attention.

SKIN CONTACT: Prolonged contact can cause slight irritation. Wash affected skin thoroughly with soap and water. If irritation persists, get medical attention.

INHALATION: Inhalation of vapor or mist can cause headache,

3. HEALTH INFORMATION AND PROTECTION (con't)

nausea, or irritation of the nose, throat and lungs. Avoid breathing vapors or mists. If exposure, move the affected victim to fresh air.

INGESTION: If swallowed, administer water to drink and consult a physician. Never give anything by mouth to an unconscious person.

Workplace Exposure Limits:

No workplace exposure limits have been established, or are not required, for this product.

Personal Protection:

RESPIRATORY PROTECTION: Where vapor or mists may occur, wear a MSHA/NIOSH approved air-purifying respiratory. No respirator is required under normal operating conditions. Use product under adequate ventilation.

EYE PROTECTION: Use approved chemical splash goggles (ANSI Z87.1 or equivalent).

SKIN PROTECTION: Use neoprene or butyl rubber gloves for skin protection.

4. FIRE AND EXPLOSION HAZARD

FLASHPOINT: Not combustible.

FLAMMABILITY LIMITS: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

GENERAL HAZARD: Very low hazard. Avoid temperatures above 350 degrees F to avoid decomposition. Material can spatter above 212 degrees F.

FIRE FIGHTING: Use extinguishing media appropriate for surrounding fire. As in any fire, wear self-contained breathing apparatus and full protective gear.

HAZARDOUS COMBUSTION PRODUCTS: None known.

5. REACTION DATA

This product is stable and hazardous polymerization will not occur.

5. REACTION DATA (con't)

CONDITIONS TO AVOID INSTABILITY: Product is stable. Avoid temperatures above 350 degrees F.

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None.

MATERIALS AND CONDITIONS TO AVOID INCOMPATI-BILITY: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Not applicable.

6. SPILL CONTROL PROCEDURE

Prevent additional discharge of material, if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 7) notify the National Response Center.

Prevent liquid from entering sewers, water courses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. Consult an expert on disposal of recovered material and ensure conformity with all applicable Federal, State and local regulations.

STORAGE AND HANDLING: All storage tank, lines, and fittings should be clean and free of rust to minimize product contamination. Product poses no electrostatic accumulation hazard, but use proper grounding procedure. Store material between 34 and 120 degrees F and at atmospheric pressure. Do not store near strong bases.

7. REGULATORY INFORMATION

ORAL LD50 Greater than 5.0 grams/kg.

D.O.T. HAZARD CLASS: Not Regulated

TSCA: Components of this product are listed on the TSCA Inventory.