
NSI DIGITAL DIMMING SYSTEM

DDS 5300 / 5600 DIMMER PACK

INSTALLATION AND OPERATION GUIDE

Software Revision 1.33, Version C UL Versions

INTRODUCTION

The NSI DDS 5300 and DDS 5600 dimmers represent a key part of a state of the art, integrated lighting control system. These dimmers may operate in a "stand alone" mode for automated lighting of displays or may be combined with an NSI memory lighting console for total lighting control.

The DDS 5300 provides four channels of 300 watts each while the DDS 5600 provides four 600 watt channels. These dimmers are designed for portable or semi-permanent use for entertainment or display lighting. Several DDS dimmer packs may be combined for more channels of lighting.

SPECIFICATIONS

Number of Channels:	4
Output capacity:	300 watts per channel : DDS 5300 600 watts per channel : DDS 5600
Input Power:	DDS 5300: 120 VAC 1200 Watts Max. DDS 5600-15: 120 VAC 1800 Watts Max DDS 5600-20: 120 VAC 2400 Watts Max.
Dimmer control system:	Microprocessor digital phase control dimming or zero-crossing relay mode.
Load filtering:	> 100us rise time.
Control Input Types:	0 - 10VDC each channel on 5 pin Din connector. MICROPLEX multiplex signal (128 channel) on three pin XLR type connector. DMX-512 digital signal (512 channel) on five pin XLR optional.
Control Wiring:	Class 2 low voltage.
Output Connections:	1 NEMA 5-15 outlet per ch. : DDS 5300. 2 NEMA 5-15 outlets per ch. : DDS 5600.
Cooling System:	Passive internal aluminum heatsinks.
Load Type:	AC lighting (tungsten) loads only.
Enclosure Type: Ambient Temperature	For indoor use only.(Utilizer dans un endroit a l'abri.) 100 degrees maximum


MOUNTING

MOUNTING

The NSI DDS 5300 / 5600 dimmer packs are designed to be mounted vertically. Each dimmer pack is provided with a mounting flanges at the top that accepts a mounting bolt or " C " clamp. The back cover can be reversed to hang the unit from a pipe. Pipe mount units should be secured with a safety cable.

Since the DDS 5300 / 5600 depends upon convection cooling, room air flow must be insured. Keep the air vents located on each side of the dimmer pack clear of dust or any obstructions. In order for the unit to cool properly the surface containing the **control receptacles** must be orientated towards the floor.

If several units are to be operated in a small enclosed room, adequate ventilation must be provided to prevent the room temperature from exceeding 100 degrees Fahrenheit



AC POWER CABLE

This is the main power cord for your dimmer pack which ultimately carries all of the ac power consumed by lights connected to the dimmer pack. **The DDS 5600 with the NEMA 5-15 plug is limited to 1800 watts max., while the unit with the NEMA 5-20 plug will support the full 2400 watts.** It must be connected to a power source capable of supplying the total power drawn by the lights. (See specifications for details on maximum power capability.)

WARNING: Do not remove grounding prong of AC plug. To do so may allow exposure to potentially lethal voltage levels and will void the warranty on this product.

AC OUTPUT RECEPTACLES

The DDS 5300 has one AC receptacle for each channel while the DDS 5600 has two for each channel. These receptacles provide power to the lamps in your lighting system. The amount of power supplied to these outlets controls the intensity of the lamps connected.


The total lamp wattage connected to each channel must not exceed the rating of each channel (see specifications).

MICROPLEX MULTIPLEX CONTROL WIRING.

Microplex is the control protocol used on most NSI lighting consoles. This system uses a single three conductor cable to transmit up to 128 channels of dimmer control. For short distances (50 feet or less) a standard microphone cable may be used to carry both the control signal and the DC power source for NSI control consoles. Longer distances may be accommodated with 18 gauge or better cable to reduce voltage losses of the power supply.

Connect the Microplex control cable to either of the three pin XLR jacks. Since both jacks are wired in parallel, another control cable may connected between the remaining jack and another dimmer pack. Many dimmer packs may be "daisy chained" together in this manner.

Be sure to set the Channel Address dip switch as required (see DIP SWITCH SETTINGS).




ANALOG 0 - 10 VDC CONTROL WIRING.

Each of the four dimmer channels of the may be operated by an analog 0 - 10 VDC control voltage. This type of control will provide 0% intensity at 0 volts and 100% intensity at 10 volts. Any or all of the DDS 5300 / 5600 dimmer channels may be operated in this manner simultaneously with the any multiplex control input. Each dimmer will respond to the greater of any control inputs.

The analog control input uses a standard 5 pin DIN plug which is available from most electronics supply houses. Connect each of the positive channel control wires to the desired dimmer channel input pins (see diagram) of the plug. Connect the common (ground) control wire to the pin indicated on the diagram. Consult the documentation of the analog control console or device you are using for the proper connections. The control input impedance is 4.7K ohms.

DMX-512 multiplex control wiring.



LED INDICATORS

DMX 512 is the United States Institute of Theater Technology (USITT) standard for the digital control of dimmers. NSI DDS Dimmer products can be converted from Microplex to DMX 512 digital multiplex with a simple kit available from your dealer.

DMX-512 is the preferred type of control wiring when many dimmer channels are used, because of the high update rate and the resistance to interference. It is recommended in locations subject to electrical noise. DMX-512 only requires 3 wires to transmit lighting levels for as many as 512 dimmer channels. Most of the NSI lighting control consoles can optionally use this interface.

Connect the DMX 512 cable from the control console to the male input connector. Another cable may be connected from the female connector to the male connector on another pack. Many dimmer packs may be "daisy chained" connect together in this manner.

Be sure to set the Channel Address dip switch as required (see DIP SWITCH SETTINGS).

LED INDICATORS

The front panel indicator LEDs indicate the status of the dimmer.

- RED - Indicates the firing card is receiving DC power.
- GREEN - Steady indicates a multiplex control signal is being received.
- YELLOW - Indicates a respective dimmer channel is active and the LED indicates relative intensity.

AUTO LAMP TEST

Whenever dipswitch #8 is in the off (down) position and there is no multiplex signal detected, all channel outputs will come to full intensity. The automatic sequencing feature must be disabled for this Auto Lamp test to operate (see INTERNAL JUMPER SELECTIONS).

CHANNEL FUSES

Each channel is protected by a fuse to help prevent overload and damage to the power control devices used in the dimmer. Be sure to replace the fuse with the same type and rating. Replacement with the wrong fuse is dangerous and will void your warranty.

Note: Lamps may sometimes cause a temporary "short-circuit" when the filament burns out and cause the fuse to blow. This is normal and protects the internal dimmer circuitry from damage.

INSTALLATION and OPERATION TIPS

Care should always be taken to:

- 1) Keep all AC wiring away from control wiring.
- 2) We also recommend powering up and performance checks be done one unit at a time. This can be a real time saver should problems arise thus eliminating unnecessary isolation techniques to resolve problems

SWITCH SETTINGS

When using any of the multiplex control systems the dip switches on the front panel of the DDS 53/5600 must be set to assign the desired dimmer channels. The switches control the dimmer channels in groups of four. See the following chart for settings.

DIP SWITCH CHANNEL ASSIGNMENTS

CONTROL	1234567	CONTROL	1234567	CONTROL	1234567
1-4	0000000	5-8	1000000	9-12	0100000
13-16	1100000	17-20	0010000	1-24	1010000
25-28	0110000	29-32	1110000	33-36	0001000
37-40	1001000	41-44	0101000	45-48	1101000
49-52	0011000	53-56	1011000	57-60	0111000
61-64	1111000	65-68	0000100	69-72	1000100
73-76	0100100	77-80	1100100	81-84	0010100
85-88	1010100	89-92	0110100	93-96	1110100
97-100	0001100	101-104	1001100	105-108	0101100
109-112	1101100	113-116	0011100	117-120	1011100
121-124	0111100	125-128	1111100	129-132	0000010
133-136	1000010	137-140	0100010	141-144	1100010
145-148	0010010	149-152	1010010	153-156	0110010
157-160	1110010	161-164	0001010	165-168	1001010
169-172	0101010	173-176	1101010	177-180	0011010
181-184	1011010	185-188	0111010	189-192	1111010
193-196	0000110	197-200	1000110	201-204	0100110
205-208	1100110	209-212	0010110	213-216	1010110
217-220	0110110	221-224	1110110	225-228	0001110
229-232	1001110	233-236	0101110	237-240	1101110
241-244	0011110	245-248	1011110	249-252	0111110
253-256	1111110	257-260	0000001	261-264	1000001
265-268	0100001	269-272	1100001	273-276	0010001
277-280	1010001	281-284	0110001	285-288	1110001
289-292	0001001	293-296	1001001	297-300	0101001
301-304	1101001	305-308	0011001	309-312	1011001
313-316	0111001	317-320	1111001	321-324	0000101
325-328	1000101	329-332	0100101	333-336	1100101
337-340	0010101	341-344	1010101	345-348	0110101
349-352	1110101	353-356	0001101	357-360	1001101
361-364	0101101	365-368	1101101	369-372	0011101
373-376	1011101	377-380	0111101	381-384	1111101
385-388	0000011	389-392	1000011	393-396	0100011
397-400	1100011	401-404	0010011	405-408	1010011
409-412	0110011	413-416	1110011	417-420	0001011
421-424	1001011	425-428	0101011	429-432	1101011
433-436	0011011	437-440	1011011	441-444	0111011
445-448	1111011	449-452	0000111	453-456	1000111
457-460	0100111	461-464	1100111	465-468	0010111
469-472	1010111	473-476	0110111	477-480	1110111
481-484	0001111	485-488	1001111	489-492	0101111
493-496	1101111	497-500	0011111	501-504	1011111
505-508	0111111	509-512	1111111		

When the automatic sequencing feature is operating, the dip switch selects the operating sequence pattern and speed. See the section on INTERNAL JUMPER SELECTION for details.

INTERNAL JUMPER SELECTIONS

INTERNAL JUMPER SELECTIONS

Caution: The follow procedures should be performed by qualified personnel only.

Remove all power and remove the cover of the dimmer pack. Locate and change jumper settings on the firing card as indicated in the following section.

Softstart

The Softstart mode of operation forces at least a 1/10th second delay between the output being full off to the output being full on to allow a more gradual warming of the lamp filaments. Thermal shock and inrush currents are reduced thereby increasing lamp life. Softstart should not be used when quick dimmer response is desired such as chasing.

To activated Softstart; remove the jumper block from the pin marked P13 on the firing card. Replacing the jumper block will restore Softstart.

NOTE: The channels of the DDS 53/5600 configured for NON DIM operation will not be affected by softstart.

Non Dim Channels (Relay Mode)

Any of the channels of the DDS 53/5600 may be configured as NON DIM channels. This will cause the output of the channel to go to full on whenever the input signal is over 15%. When the input signal drops to less than 10%, the channel output goes to full off. This is the equivalent of a zero-crossing solid state relay.

To configure a channel for NON DIM operation simply switch the dip switches on the firing card as indicated below.

CHANNEL	DIP SWITCH	CHANNEL	DIP SWITCH
1	3 off	2	4 off
3	5 off	4	6 off

AUTO SEQUENCING MODE

The DDS 53/5600 dimmers can be configured to perform stand alone Automatic Sequencing in place of Auto Lamp Test. This is useful for lighting displays and show windows. The four channels will automatically fade from one to another in a preprogrammed pattern and time selected by the front panel dipswitch whenever dipswitch #8 is up and no multiplex signal is detected. The Analog control input will continue to operate while the dimmer is sequencing.


To enable Automatic Sequencing Mode remove jumper from position P14.

Dipswitch settings

STEP TIME	SWITCH 1,2,3	PATTERN	SWITCH 4,5,6
1 SECOND	OFF,OFF,OFF	2 CHAN BUILD	OFF,OFF,OFF
3 SECOND	ON,OFF,OFF	3 CHAN SEQUENCE	ON,OFF,OFF
5 SECOND	OFF,ON,OFF	3 CHAN BUILD	OFF,ON,OFF
10 SECOND	ON,ON,OFF	2 & 4 CHAN ALT	ON,ON,OFF
15 SECOND	OFF,OFF,ON	4 CHAN SEQUENCE	OFF,OFF,ON
30 SECOND	ON,OFF,ON	4 CHAN BUILD	ON,OFF,ON
45 SECOND	OFF,ON,ON	4 CHAN BUILD +	OFF,ON,ON
60 SECOND	ON,ON,ON	4 CHAN RANDOM	ON,ON,ON

Dipswitch # 7 on causes all above sequences to ping-pong.

Service Information



ALL COMPONENTS MARKED N/A ARE NOT INSTALLED ON THIS VERSION

COMPONENT VALUES SUBJECT TO CHANGE WITHOUT NOTICE

ALL INFORMATION CONTAINED ON THIS DRAWING ILLUSTRATES THE PROPRIETARY DESIGN FEATURES OF NISL COMPANY AND SHALL NOT BE DUPLICATED IN WHOLE OR IN PART WITHOUT THE CONSENT OF NISL COMPANY

NSI CORPORATION
3126 S. RIDGER RD.
CHICAGO, IL 60632
708-354-1500
708-354-1501
708-354-1502
708-354-1503
708-354-1504
708-354-1505
708-354-1506
708-354-1507
708-354-1508
708-354-1509
708-354-1510
708-354-1511
708-354-1512
708-354-1513
708-354-1514
708-354-1515
708-354-1516
708-354-1517
708-354-1518
708-354-1519
708-354-1520
708-354-1521
708-354-1522
708-354-1523
708-354-1524
708-354-1525
708-354-1526
708-354-1527
708-354-1528
708-354-1529
708-354-1530
708-354-1531
708-354-1532
708-354-1533
708-354-1534
708-354-1535
708-354-1536
708-354-1537
708-354-1538
708-354-1539
708-354-1540
708-354-1541
708-354-1542
708-354-1543
708-354-1544
708-354-1545
708-354-1546
708-354-1547
708-354-1548
708-354-1549
708-354-1550
708-354-1551
708-354-1552
708-354-1553
708-354-1554
708-354-1555
708-354-1556
708-354-1557
708-354-1558
708-354-1559
708-354-1560
708-354-1561
708-354-1562
708-354-1563
708-354-1564
708-354-1565
708-354-1566
708-354-1567
708-354-1568
708-354-1569
708-354-1570
708-354-1571
708-354-1572
708-354-1573
708-354-1574
708-354-1575
708-354-1576
708-354-1577
708-354-1578
708-354-1579
708-354-1580
708-354-1581
708-354-1582
708-354-1583
708-354-1584
708-354-1585
708-354-1586
708-354-1587
708-354-1588
708-354-1589
708-354-1590
708-354-1591
708-354-1592
708-354-1593
708-354-1594
708-354-1595
708-354-1596
708-354-1597
708-354-1598
708-354-1599
708-354-1600

WARRANTY

NSI Corporation Limited Warranty

NSI Corporation warrants new electronics products to be free from defective materials and workmanship for a period of one (1) year from the date of purchase to the original owner when purchased from an authorized NSI dealer.

The purchaser is responsible for completing and mailing to NSI, within 15 days of purchase, the warranty registration card enclosed with each product. NSI products that have been subject to accident, alteration, abuse, or defacing of the serial number are not covered by this warranty. The normal wear and tear of items such as knobs, jacks, and switches are not covered under this warranty.

If your NSI product requires service during the warranty period, NSI will repair or replace, at its option, defective materials provided you have identified yourself as the original owner of the product to NSI or any authorized NSI dealer. Transportation charges to and from an authorized dealer or the NSI factory for repair shall be the responsibility of the owner. All products returned to NSI must have factory authorization for return prior to shipping.

NSI Corporation is not liable for any incidental or consequential damages resulting from defect or failure other than repairs of the NSI product subject to the terms of this warranty. This warranty gives you specific legal rights, and you may have other rights which vary from state to state. This warranty is expressly in lieu of all other agreements and warranties expressed or implied except as may be otherwise required by law.