

64797 3000W G38



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Technical data

General product information

Product Number	54389	
Product Name	647973000WG38 6/CS 1/SKU	
Ordering Abbreviation	64797 3000W G38	
Brand Name	OSRAM	
General Description	3000W Tungsten Halogen, Single-End G38	
Application	STAGE & STUDIO	

Electrical data

Nominal Wattage	3000 W
Nominal Voltage	230 V
Type of Current	AC

Light technical data

Luminous Flux	82000 lm
Light Center Length - LCL (mm)	127 mm
Color Temperature	3200 К
Color Rendering Index	100
Average Rated Life	400 h
Average Rated Life - Horizontal (hr)	400 hr

Physical attributes

Base	G38 Mogul Bipost	
Bulb Shape	BT15	
Length l (mm)	211.73 mm	
Length l max. (mm)	211.73 mm	
Diameter d (in)	1.772 in	
Diameter d (mm)	45.00 mm	
Filament	3.8 T	
Filament Dimensions Length (mm)	34 mm	
Filament Dimensions Width (mm)	38 mm	
Reflector Coating	45.00	

Additional product data

Operating Position	s45	
Class	C (GAS)	
Lamp Туре	SINGLE END	

Product datasheet

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54389	4052899129542	Folding box (SKU)	1	13.3 in x 5.4 in x 5.6 in	1.1 lb
54389	4052899078420	Shipping box (Case)	6	16.6 in x 11.7 in x 13.7 in	7.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

