

## SIRIUS HRI 440W H



### Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

### Areas of application

- Concert Lighting
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	55189
Product Name	SIRIUS HRI 440W H 2/CS 1/SKU
Ordering Abbreviation	SIRIUS HRI 440W H
Brand Name	OSRAM
General Description	440 watt, mercury vapor, reflector lamp for wash fixtures.
Application	Moving head fixtures

#### Electrical data

Nominal Wattage	440 W
Nominal Voltage	83 V
Current (A)	5.3 A

#### Light technical data

Luminous Flux	18000 lm
Working Distance a (mm)	41 mm
Color Temperature	7000 K
Color Rendering Index	75
Average Rated Life	1000 h

#### Physical attributes

Bulb Shape	REFLECTOR
Length l (mm)	60 mm
Length l2 (mm)	11 mm
Diameter d (mm)	65.00 mm
Electrode Gap - cold (mm)	1.3 mm

#### Additional product data

Operating Position	Any
Forced Cooling	Required

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
55189	4052899509528	Unpacked (SKU)	1		
55189	4052899509535	Shipping box (Case)	60	16.3 in x 13.9 in x 12.2 in	24.4 lb

## Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
----------------	---------	-----------	----------	------------------------------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

**Distributor:**



Phone: 407-857-8770

Fax: 407-857-8771

Email: [sales@techni-lux.com](mailto:sales@techni-lux.com)