

MSR GOLD 1200 SA/SE

Product family description

MSR Short Arc – for longer lifeThe lamp's short arc and compact design helps enable a compact luminaire that provides high beam intensity, while the excellent color rendition characteristics help ensure optimal colors on stage. The highly innovative P3 technology, developed by Philips, allows MSR Short Arc lamps to be used at higher temperatures in any burning position. The result? Longer lifetime, fewer early failures and a highly consistent performance throughout the lamp's lifetime.

Product Features

- Philips Pinch Protection
- Short arc
- · Compact lamp design
- MSR filling

Product Benefits

- Enables use at higher temperatures in any burning position. Longer lifetime, fewer early failures, consistent performance over time
- · High beam intensity
- Compact design luminaries
- Excellent color characteristics, optimal colors on stage

Application

Entertainment

Product data				
Product Number	150524			
Full product name	MSR GOLD 1200 SA/SE ICT			
Ordering Code	150524			
Pack type	I Carton			
Pieces per Sku				
Skus/Case	4			
Pack UPC	8711500209610			
EAN2US				
Case Bar Code	8711500209627			



	Product data	
Successor Product number		
Cap-Base	PGJ41	
Cap-Base Information	PGJ41	
Execution	-	
Operating Position	any	
Main Application	Entertainment	
Additional Information		
Packing Type	ICT [I Carton]	
Packing Configuration	4	
Life to 50% failures EM	750 hr	
Pack UPC	8711500209610	
Case Bar Code	8711500209627	
Ordering Code	MSR 1200 SA/SE GOLD	
Watts	1200W	
Lamp Current	15 A	
Dimmable	Yes	
Color Code	-	
Color Rendering Index	80 Ra8	
Color Temperature	6000 K	
Chromaticity Coordinate X	318 -	
Chromaticity Coordinate Y	327 -	
Overall Length C	109 mm	
Diameter D		
Light Center Length L	45 mm	
Case Height	9.330 in	
Case Length	4.803 in	
Case Width	4.213 in	
Product Number	150524	
Pack Height	5.350 in	
Pack Length	0.870 in	
Pack Weight	0.130 in	
Pack Width	0.870 in	




MSR Gold SE


MSR 1200W PGJ41

no image available










Operating Position any

Cap-Base PGJ41




Philips Pinch Protection technology

- · Reliability, through longer lifetime and fewer early failures
- Quality, through excellent storage characteristics and consistent performance over time.
- Compactness, allowing more compact design of fixtures and burning positions



MSR 1200W





MSR Gold SE MSR PGJ41

	A	A	A	A	A	A
Full produc t name	Min	Min	Nom	Nom	Max	Max
MSR GOLD 1200 SA/SE ICT	-	-	-	-	-	-

	C	C	D	D	D1	D1
Full produc t name	Max	Max	Max	Max	Nom	Nom
MSR GOLD 1200 SA/SE ICT	109	109	26.1	26.1	-	-

	F	F	F	F	F	F
Full produc t name	Min	Min	Nom	Nom	Max	Max
MSR GOLD 1200 SA/SE ICT	-	-	-	-	-	-

Distributor:



Phone: 407-857-8770 Fax: 407-857-8771 Email: sales@techni-lux.com



	L	L	L	L	L	L
Full produc t name	Min	Min	Nom	Nom	Max	Max
MSR GOLD 1200 SA/SE ICT	44	44	45	45	46	46

	О	О
Full product name	Nom	Nom
MSR GOLD 1200 SA/ SE ICT	5.5	5.5



$\hbox{@2009 Koninklijke Philips Electronics N.V.}\\$

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liablity will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000